

### Egyptian Journal of Veterinary Sciences

https://ejvs.journals.ekb.eg/

## Application of Phase- Contrast Microscope for Detection of *Prototheca* spp. Microalgae in Tissue Section-First record (Note)



#### **Youssef Fawzy Ahmed**

Department of Animal Reproduction & A.I., Veterinary Research Division. National Research Centre. Dokki, Cairo, Egypt.

PHASE -contrast microscope was discovered in 1932 by the scientist Frits Zernike who won the Nobel Prize for Physics in 1953 for this scientific discovery. This technique is based on the fact that different parts of living cells have different densities and reflect the light with varying degrees and give different refractive parameters of the light. We used these phenomena to detect *Prototheca* spp. microalgae which are plant in origin and the wall contains sporopollenin which is biopolymers in nature and not found in animal tissue and this material is not in harmony with the contents of different animal cells. Therefore, it is possible to exploit this scientific phenomenon as a new method for the first time to identify *Prototheca* spp. microalgae in infected tissues.It has been possible to identify the infected tissue with *Prototheca* spp. microalgae with phase-contrast microscope as a simple rapid techniques, easy used for unstained slide. Also this technique may help the pathologist to study the life cycle and pathogenesis of this group of pathogen with the other specific standard methods for examination.

Keywords: Phase- contrast microscope, Prototheca algae, Microalgae.

#### Introduction

Phase- contrast microscopy was used for examination of living activity of some protozoa as toxoplasma, ruminant microflora, and morphology of insects. Also evaluation of sperm [1] and ova of different animal species and examination of diatoms in animal tissue [2]. Now we use phase-contrast microscopy for detection of sporangiospores of *Prototheca* spp. in unstained tissue section.

#### Method

Natural infected tissue of animal was confirmed infection with *Prototheca* spp. by using PCR techniques, also ultra-structure examination was confirmed the infection of *Prototheca* spp. algae in tissue. *Prototheca* spp. that detected in the infected kidneytissue showed bright color in the cytoplasm and nucleus and showed poor staining

with Hematoxylin and Eosin (Fig.1). I used different stains as PAS and GMS for confirmation the infection.Paraffin tissue sections 5-6 microns thick were attached to slides, dewaxed, and the slide section was cleaned with xylene, the slide was covered with coverslip by using synthetic mounting medium as DPX, then the slide was examined under phase-contrast stain.

#### Results

Prototheca app. microalgae in both cytoplasm and nucleus of the renal tubules give positive reaction with phase- contrast microscope (Fig.2). However, the sporangium gives faint or negative results with phase contrast microscope.

#### Conclusion

Phase –contrast microscope can used as a rapid simple tools for detection of *Prototheca* spp. microalgae in infected tissues. For my knowledge

90 Y. F. AHMED




Fig. 1: Cross section of renal tubules infected with Prototheca spp. showed poor staining. (H&E.x400).




Fig. 2:Cross section of renal tubules infected with Prototheca spp. showed positive with phase contrast microscope. (Unstained section, x400).

this method was considered the first to detect *Prototheca* spp. microalgae in tissue section by phase-contrast microscope. Other specific stains and ultrastructure and molecular examination were used for confirmation the infection.

#### Acknowledgements

The author is grateful to special unite (improvement of reproductive performance of farm animals), National Research Centre, Egypt, for the support of this work.

#### Conflicts of interest

The author reports no conflicts of interest. The author alone is responsible for the content and writing of the article.

#### References

- Dina, El-Sayed, M. Rashad. DNA integrity and ultra-structures of epididymal spermatozoa in dromedary camels. M.V.Sc. Degree. Benha University. Faculty of Veterinary Medicine (2018).
- Ahmed, Y. F. Unexpected presence of diatom in pathological specimens of fetal membrane of aborted cattle. Case Report. *Egypt. J. Vet. Sci.*, 47 (2), 111-115 (2016).

# تطبيق مجهر الطور التباين للكشف عن فصيلة البروتوسيكا Prototheca spp الطحالب الدقيقة في قطاعات الانسجة

#### يوسف فوزى احمد

أستاذ الباثولوجي وامراض الحيوان - قسم التكاثر الحيواني- شعبه البحوث البيطريه- المركز القومي للبحوث-القاهرة - مصر

الجهر الضوئي ذو الأطوار المتباينة تم اكتشافه سنة ١٩٣١عن طريق العالم فريتس زيرنيكه (Frits Zernike) الذي حاز على جائزة نوبل للفيزياء عام ١٩٥٣من أجل هذا الكشف العلمى, وتعتمد هذه التقنية أن الأجزاء الختلفة للخلايا الحية لها كثافات مختلفة. اى لهامعاملات انكسار مختلفة للضوء وأجزاء الخلية لها معاملات انكسار اخرى مختلفة وعندما يسقط الضوء بزاوية معينة على الخلية فإن الأجزاء الختلفة للخلية تعكس وتكسر الضوء بدرجات متباينة وتعطي معاملات انكسار مختلفة للضوء وتظهر النتيجة ان بعض الأجزاء تبدو مضيئة تعكس الضوء بدرجه عاليه وأخرى أقل إضاءة وبالتالي تتباين الإضاءة المنبعثة من الأجسام الختلفة وهذا يؤدي إلى إعطاء تباين — تغايرفي خلفيات العينة المراد فحصها, وبالرجوع الى طبيعه تكوين الطحالب وحيدة الخليه حيث انها نباتيه المنشأ اتضح ان جدارها يتكون من مادة الاسبوروبولينين وهي تتكون من مواد بيوبوليمر طبيعيه وهذة المادة لا تتجانس مع محتوى الخليه الحيوانيه وبالتالي امكن استغلال هذه الظاهرة العلميه كطريقه حديثه تستخدم لاول مرة للتعرف على الطحالب الميكروبيه .وامكن غديد الانسجه المصابه بالطجالب بطريقه علميه سهله وسيطه.